

Sensitivity Patterns of NON-URINE Isolates (First isolate per patient per organism)

San Francisco VA Medical Center

January-December 2015

Confidential: For official use by San Francisco VA Medical Center Employees and Students only.

ORGANISM	TOTAL #ISO*	AMP	ZOS	ERTA	CIP	T/S	CZOL	CTRI	CPIM	Percent Sensitive	
										GEN	TOB
<i>Enterobacter cloacae</i>	20	NA	80	100	95	100	NA	NA	100	100	100
<i>Escherichia coli</i> †	58	53	93	100	74	74	57	90	89	90	91
<i>Klebsiella oxytoca</i> †	20	0	95	100	95	90	15	100	100	100	100
<i>Klebsiella pneumoniae</i> †	24	0	100	100	100	96	81	100	100	100	100
<i>Proteus mirabilis</i>	22	73	100	100	77	82	30	77	76	82	NA
<i>Pseudomonas aeruginosa</i>	47	NA	93	NA	87	NA	NA	NA	93	96	96
				VANC	OXAC	T/S	ERYT	CLIN	TCN		
<i>Staphylococcus aureus</i>	256			100	63	95	54	79	92		
MRSA	95			100	0	91	NA	68	86		
MSSA	161			100	100	97	NA	85	95		
<i>Staphylococcus coag neg</i>	203			100	55	66	46	67	84		

NA = not available

AMP - ampicillin, ZOS - Zosyn, ERTA - ertapenem, CIP - ciprofloxacin, T/S - trimethoprim/sulfamethoxazole, CZOL - cefazolin, CTRI - ceftriaxone, CPIM - cefepime

ERTA - ertapenem, GEN - gentamicin, TOB - tobramycin, VANC - vancomycin, OXAC - oxacillin, ERYT - erythromycin, CLIN - clindamycin, TCN - tetracycline

*Statistical validity of % susceptible is decreased if fewer than 30 isolates are tested.

10.5% (41/390) of all enterococcal isolates were vancomycin-resistant

†Extended-Spectrum Beta-Lactamase (ESBL) Positive - *E. coli* - 10%; *K. oxytoca* - 0%; *K. pneumoniae* - 0%